

Available online at www.sciencedirect.com

Resuscitation Plus

journal homepage: www.elsevier.com/locate/resuscitation-plus

Review

Teaching team competencies within resuscitation training: A systematic review



Barbara Farquharson^a, Andrea Cortegiani^{b,c}, Kasper G. Lauridsen^{d,e,f}, Joyce Yeung^g, Robert Greif^{h,i}, Sabine Nabecker^{j,*}, on behalf of the Education Implementation Team Task Force of the International Liaison Committee on Resuscitation ILCOR¹

Abstract

Objectives: To evaluate the effectiveness of life support training with specific emphasis on team competencies on clinical and educational outcomes.

Methods: This systematic review was prospectively registered (PROSPERO CRD42023473154) and followed the PICOST (population, intervention, comparison, outcome, study design, timeframe) format. All randomized controlled trials and non-randomized studies evaluating learners undertaking life support training with specific emphasis on team competencies in any setting (actual and simulated resuscitations) were included. Unpublished studies were excluded. Medline, Embase and Cochrane databases as well as trial registries were searched from inception to August 2023 (updated January 18, 2024). Two researchers performed title and abstract screening, full-text screening, data extraction, assessment of risk of bias (using RoB2 and ROBINS-I) and certainty of evidence (using GRADE). PRISMA reporting checklist was used to report the results. No funding was obtained to perform this systematic review.

Results: The literature search identified 5470 manuscripts. After the removal of 2073 duplicates, reviewing the remaining articles' titles and abstracts yielded 31 articles for full-text review. Of these, 17 studies were finally included. The studies involved the following training levels: basic life support, adult advanced life support, paediatric and neonatal resuscitations. Most studies (n = 16) evaluated outcomes in simulated, and only one study in actual resuscitations. Studies included in all training contexts showed either neutrality and/or benefits of life support training with specific emphasis on team competencies. Team competencies training improved CPR skill performance and CPR quality. Specific team competencies that improved included leadership, communication, decision-making and task management. No undesirable effects were observed. Meta-analysis was not possible due to significant methodological heterogeneity. Sub-group analysis was impossible due to lack of data. Risk of bias assessment ranged from some concerns to serious. Overall certainty of evidence was rated as low to very low due to risk of bias and imprecision.

Conclusion: This systematic review identified very low and low certainty evidence, almost entirely derived from simulation studies. The studies and their findings were heterogenous but suggest that teaching team competencies can improve resuscitation skills performance and CPR quality, as well as improve team competencies, specifically leadership, communication, decision-making, and task management. Further research is required to understand optimal configuration of team competencies training interventions and to understand the effect on clinical outcomes and cost-effectiveness.

Keywords: Team competencies, Cardiopulmonary resuscitation, Communication, Decision-making, Teamwork, Workload

* Corresponding authors at: Department of Anesthesiology and Pain Management, Sinai Health System, University of Toronto, 600 University Avenue, M5G 1X5, Toronto, Ontario, Canada.

E-mail address: sabine.nabecker@sinaihealth.ca (S. Nabecker).

@sabinenabecker (S. Nabecker)

¹ Collaborators in this scoping review: Cristian Abelairas-Gomez, Natalie Anderson, Farhan Bhanji, Jan Breckwoldt, Adam Cheng, Aaron Donoghue, Kathryn Eastwood, Ming-Ju Hsieh, Ying-Chih Ko, Elina Koota, Yiqun Lin, Andrew Lockey, Tasuku Matsuyama, Kevin Nation, Alexander Olausson, Taylor Sawyer, Sebastian Schnaubelt and Chih-Wei Yang.

<https://doi.org/10.1016/j.resplu.2024.100687>

Received 7 May 2024; Received in revised form 27 May 2024; Accepted 27 May 2024

Introduction

Effective management of patients in cardiac arrest requires a combination of knowledge, technical skills and team competencies. Team competencies are the non-clinical skills required to support the collective efforts of team members to deliver optimal care within complex hospital settings.¹ In the context of resuscitation, team competencies include team-related communication, decision-making, and leadership including workload management.² Resuscitation councils worldwide recommend the incorporation of team competencies training in the teaching of advanced life support for healthcare professionals.^{3,4} The International Liaison Committee on Resuscitation (ILCOR) recommended in their 2020 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations, the use of specific leadership training for resuscitation courses based on very-low certainty evidence.^{5,6}

A systematic review of the effect of teaching non-technical skills in advanced life support concluded that team simulation training improved non-technical skills and reduced the time to complete a simulated cardiac arrest.⁷ Non-technical skills included in the review were leadership, teamwork, communication, and situational awareness.⁷ Another ILCOR systematic review evaluating the effect of team and leadership training of advanced life support providers on patient outcomes concluded that team and leadership training as part of advanced life support courses improved patient outcomes.⁸

Our review adds to the existing body of knowledge by extending consideration to all life-support training contexts (beyond Advanced Life Support (ALS)/Advanced Cardiac Life Support (ACLS) for adults) and isolating the specific effect of team competence training, including only studies with a comparison group. We evaluated whether specific training in team competencies improves patient outcomes, cardiopulmonary resuscitation (CPR) skill performance and CPR quality, as well as provider confidence and team competencies, which might impact patient survival, the organization of life support courses, and resuscitation services worldwide. Our aim was to evaluate the effectiveness of life support training with specific emphasis on team competencies on clinical and educational outcomes.

Methods

This systematic review was undertaken as part of the continuous evidence evaluation process of the International Liaison Committee on Resuscitation (ILCOR) Task Force on Education, Implementation, and Teams (EIT), and was prospectively registered in PROSPERO (CRD42023473154). Results are reported in line with the Preferred Reporting Items for a Systematic Review and Meta-Analysis (PRISMA) reporting checklist.⁹

The PICOST (Population, Intervention, Comparison, Outcome, Study design, Timeframe) frame specified the research question:

Population: Learners undertaking life support training in any setting;

Intervention: Life support training with a specific emphasis on team competencies training;

Comparators: Life support training without specific emphasis on team competencies training;

Outcomes: Patient survival (actual resuscitation), cardiopulmonary resuscitation (CPR) skill performance at course completion

(simulation), CPR skill performance (in actual resuscitation and simulation) < 1 yr and ≥ 1 yr of course completion; CPR quality (simulation) (at course completion, <1yr and ≥ 1 yr of course completion); confidence (at course completion and < 1 yr and ≥ 1 yr of course completion), teamwork competencies (in actual resuscitation and simulation) (at course completion, <1yr and ≥ 1 yr of course completion); resources (time, equipment, cost);

Study Designs: Randomized controlled trials (RCTs) and non-randomized studies (non-RCT, interrupted time series, controlled before-and-after studies, cohort studies) were eligible for inclusion. Studies evaluating scoring systems (no relevant outcome), and studies with self-assessment as the only outcome were excluded, as well as reviews and unpublished studies (e.g., conference abstracts, trial protocols).

Timeframe: Literature was searched from inception to 30 Aug 2023, and updated January 18, 2024. All languages were included if there was an English abstract available.

In contrast to the PROSPERO registration, study screening had started at the time of registration (17 October 2023). Screening of articles commenced on 22 September 2023. There was a clerical error upon registration – the source document stated ‘yes’ for if the search had already begun, but it was not correctly entered on the PROSPERO website. Also, in contrast to the PROSPERO registration, we did not perform sub-group analyses due to lack of sufficient studies to do so.

Definitions

- Team competencies were defined as non-technical skills to work on a team including e.g. specifying goals, ‘team-related’ communication, structured handovers, situation awareness, coordinated behaviours, task allocation, sharing the mental model, performance monitoring etc.¹⁰
- Team leadership was defined as a specific teamwork competence requiring specific coordination activities such as distributing tasks, assigning work, and enforcing rules and procedures.⁷
- Teamwork was defined as a process that includes clarity of goal distribution, applicable team-related communication, and defined roles of the team members.⁷
- Critical outcomes included patient survival, CPR skill performance and quality beyond course completion, CPR skill performance and quality beyond one year.
- Important outcomes were CPR skill performance and quality at course completion, confidence at course completion and beyond, teamwork competencies at course completion and beyond.

Eligibility criteria

Studies were eligible for inclusion if they investigated training with a specific emphasis on team competencies compared to none, that reported on adult, paediatric, or neonatal resuscitation in-hospital or out-of-hospital in any training setting (basic and advanced life support).

Sources, search strategy, data extraction

The databases Medline, Embase and Cochrane were searched from inception to August 2023, and updated January 18, 2024. The International Clinical Trials Registry Platform (<https://www.who.int/ictpr/en/>); the US clinical trials registry (<https://www.clinicaltrials.gov/>); Cochrane CENTRAL (<https://www.cochranelibrary.com/about/central-landing-page.html>) were searched and no additional studies

were identified. An information specialist hired by ILCOR developed the search strategy, performed it and updated the search later using the same search strategy (Appendix 1.).

Titles and abstracts were screened independently in pairs by 4 coauthors (AC & BF, JY & KG) using Rayyan (<https://www.rayyan.ai>).¹¹ Disagreements were discussed and resolved within the author team or with the advice of the ILCOR EIT taskforce. The remaining full texts were screened independently in pairs by 4 coauthors (AC & BF, JY & KG). Data from included studies was then extracted into a standard data extraction form by 4 coauthors (AC, BF, JY, KG).

Risk of bias assessment and synthesis method

Working in pairs, two coauthors (AC & BF, JY & KG) independently performed the risk of bias assessment using the 'Risk of Bias 2 (RoB 2)' tool¹² for randomized controlled trials and the 'Risk of Bias in Non-randomized studies of interventions (ROBINS-I)' tool¹³ for non-randomized studies. Disagreement was discussed and resolved within the coauthor team and/or with assistance of the ILCOR EIT taskforce.

The Grading of Recommendations Assessment, Development and Evaluation (GRADE) methodology was used to assess certainty of evidence.¹⁴ We did not identify two or more studies of similar design on the same intervention and assessing the same outcome and therefore a meta-analysis could not be performed. Therefore, we followed the Synthesis Without Meta-Analysis (SwiM) reporting guidelines to summarize the evidence.¹⁵

Results

Study characteristics

The primary literature search (including the updated search) identified 5470 articles, after de-duplication, the titles and abstracts of 3397 articles were screened. Thirty-one articles entered the full-text assessment, and 14 articles were excluded due to either wrong study design, not a study involving cardiopulmonary resuscitation, no control group or were conference abstracts, leaving 17 studies for the final analysis (flow chart Fig. 1; PRISMA Checklist Appendix 2.).

Appendix 3 depicts the included studies' characteristics, designs, and main outcomes. Table 1 displays an overview of the study characteristics, training contexts and interventions for team competencies training. Nine studies were performed in Europe,^{16–24} seven in North America^{25–31} and one in South America.³² Only one study included patient outcomes.²⁷

Risk of bias assessment and certainty of evidence

Risk of bias for the included studies ranged from some concerns to serious (Appendix 4.). The studies varied considerably in methodology used, training intervention applied, and training context (details in Tables 1. and 2.). Certainty of evidence was rated as low to very low due to risk of bias and imprecision (Appendix 5.).

Study outcomes (Appendix 3., RoB tables Appendix 4.)

Patient survival

For the critical outcome of patient survival, one RCT²⁷ reported descriptive data on patient outcomes, reporting 11% of patients died in the intervention group, and 13% of patients died in the control group. No information was provided about the timeframe of patient survival. The study was not powered to make inferences about survival.

CPR skill performance in real resuscitations

One RCT²⁷ reported CPR performance scores, using a checklist based upon standards of Advanced Trauma Life Support and other care checklists which was normalised to create a score that could be compared across different resuscitation events, and found no significant difference between the intervention and control groups.

Team competencies in real resuscitations

One RCT²⁷ reported more leadership behaviour in the intervention group than control group.

CPR skill performance at course completion and beyond (simulations)

We found 10 studies, 9 RCT,^{16,18,21,22,24,25,27–29,31} and one before and after study³² for CPR skill performance at course completion. Six studies^{16,21,25,28,29,32} reported time to varying key resuscitation behaviours, four^{16,21,29,32} of them found no significant difference between the intervention and control groups. One of the RCTs²⁸ reported significantly shorter time to chest compressions out of five behaviours; another study²⁵ reported shorter times for eight of nine behaviours. Seven^{16,22,24,27–29,31,32} studies reported CPR performance scores using varying measures. Six^{16,22,24,27–29,31} found no significant difference between the intervention and control groups. One non-randomised study³² reported higher median scores in a checklist of expected CPR acts in the intervention (95%) vs. the control group (85%).

One RCT²¹ reported no difference in the rate of correct arm and shoulder positioning between intervention and control groups. Another RCT¹⁸ reported adherence to European Resuscitation Council advanced life support guidelines, finding greater adherence in the intervention versus the control group.

CPR skill performance beyond course completion was reported in four RCTs^{16,21,22,24}. Two^{22,24} found no significant difference in performance scores at four months²⁴ and six months²² after course completion. One RCT¹⁶ reported significantly higher technical CPR skill scores (calculated from compression depth and rate; detection of shockable rhythm; ventilation efficiency; and time to CPR initiation) in the intervention (70%) vs. the control (62%) group at follow-up (time unspecified), despite no difference at course completion. Another RCT²¹ reported significantly shorter time to first meaningful resuscitation measure in the intervention group at four months after course completion.

Evidence relating to CPR skill performance beyond one year was not identified.

CPR quality at course completion and beyond (simulations)

For CPR quality at course completion, we found four RCTs.^{17,18,20,21} Two^{17,18} measured no-flow time, one measuring the amount of time one of four team members provided chest compressions reported¹⁷ significantly shorter no-flow time in the intervention group while the other¹⁸ (measuring the percentage of the scenario time frame minus the time with chest compressions performed by any team member) found no significant differences between groups. One RCT²¹ measured hands-on time and compression rate and found no difference between groups. Another RCT²⁰ found no difference in chest compression quality or in chest compression pauses between groups.

We found one RCT for CPR quality beyond course completion.²¹ Four months after the intervention, hands-on time was higher in the intervention group when compared to the control group with higher




Fig. 1 – PRISMA Flow Chart – Teaching team competencies within resuscitation training: a systematic review.

rates of guideline-compliant compressions as recommended and more compressions per minute.

Evidence relating to CPR quality beyond one year was not identified.

Confidence at course completion and beyond (simulations)

For confidence at course completion, we identified one RCT¹⁶ which found no significant difference between groups. For confidence beyond course completion, one RCT¹⁶ found no significant difference between groups at follow-up. Evidence relating to confidence beyond one year was not identified.

Teamwork competencies at course completion and beyond (simulations)

For teamwork competencies at course completion we identified 14 studies, 12 RCTs,^{16,17,19–21,24–26,28–31} and 2^{23,32} non-RCTs.

Communication: Two RCTs^{20,30} reported a significantly greater proportion of leadership statements (measured differently) in the

intervention group compared to control. Three RCTs^{26,29,30} identified significantly increased directed team communication with the intervention. One RCT²⁹ also reported increased completed closed-loop communications and follower-initiated communications in the intervention group. One RCT¹⁷ measured 'teamwork verbalisations' and found a significantly higher number of verbalisations in the intervention group, like directed orders, task assignments, undirected orders, and planning. In contrast, one RCT²¹ identified more leading utterances in the control group.

Decision-making and leadership behaviour: One RCTs^{19,27} reported more leadership behaviour in the intervention group. One²¹ also reported significantly increased corrections of improper chest compressions in the intervention group. Another RCT²⁰ reported increased decision-making in the intervention group. One non-randomised study²³ reported no significant difference in leadership behaviour between intervention and control groups.

Teamwork: One RCT¹⁶ reported significantly higher team-level efficacy in the intervention group. One non-randomised study³²

Table 1 – Teaching team competencies within resuscitation training: a systematic review: Overview of study characteristics.

Years of publication	2007–2023
Countries of studies	Europe (3 Germany, ^{17–19} 2 Switzerland, ^{20,21} 2 Finland, ^{22,23} 1 France, ²⁴ 1 Belgium ¹⁶) North America (6 USA ^{26–31} , 1 Canada ²⁵) South America (1 Brazil ³²)
Training context	Advanced Life Support: 9 ^{17,18,22,24–27,29,32} Immediate Life Support: 1 ²⁰ Basic Life Support: 1 ²¹ Paediatric resuscitation: 4 ^{18,19,26,32} Neonatal resuscitation: 4 ^{23,28,30,31} Not stated: 1 ¹⁶
Training interventions	<ul style="list-style-type: none"> - Short Crisis Resource Management training (<1 h): 4^{16,19,23,25} - Long Crisis Resource Management training > 1 h: 1¹⁸ - Crisis Resource Management training of unspecified length: 1¹⁷ - 2-hour TeamSTEPPS 2.0 training: 1²⁶ - 4-hour leadership training: 1²⁷ - 2-hour team training: 1³¹ - 30-min task-oriented role assignment training: 1²⁸ - 10-min leadership training specifically for female learners: 1²⁰ - Teamwork and human error training of unspecified length: 1³⁰ - TeamSTEPPS training of unspecified length: 1³² - Instructions focused on leadership and communication to enhance team coordination of unspecified length: 1²¹ - Pit crew model: 1²² - Team leaders blindfolded during practice: 1²⁹ - Practice in interrupted scenarios: 1²⁴

reported more teamwork intervention events in the intervention group. Two RCTs^{24,31} and one non-randomised study²³ found no significant difference in measures of teamwork between groups.

Non-technical skills: Two RCTs^{25,28} reported significantly higher non-technical skill performance²⁵ (measured differently) and total behavioural skills scores²⁸ in the intervention group.

Workload management: Two RCTs^{30,31} reported significantly improved workload management (measured differently) in the intervention group.

For teamwork competencies beyond course completion we identified three RCT.^{16,21,24} One RCT²¹ reported more leadership utterances, task assignments, commands, and decisions about what to do in the intervention group four months after the course. Another RCT¹⁶ reported significantly higher self-reported teamwork in the intervention group at follow-up. An RCT²⁴ reported no significant difference between groups in 'TEAM scores' at three months after course completion. Evidence relating to team competencies beyond one year was not identified.

Discussion

Resuscitation councils worldwide include training of team competencies in their advanced life support courses with the aim to improve team performance, improve adherence to guidelines, reduce errors, and ultimately improve patient care.^{3,6} The effectiveness of non-technical skills training to improve team performance in advanced life support,⁷ and the effectiveness of team and leadership training in advanced life support course providers to improve patient outcomes⁸ has been demonstrated. In this systematic review, we broadened the review question including the teaching context related to all levels of courses (from basic to advanced life support courses, in adult, pae-

diatric, and neonatal resuscitations), and expanded the included team competencies to a variety of described team competence interventions. We identified 17 studies in all training contexts with a wide variety of different team competence training interventions. Interventions included Crisis Resource Management training below and above one hour, or of unspecified length, TeamSTEPPS training, leadership training, team training, task-oriented role assignment training, human error training, Pit crew model training, team leader blindfolding, and practice in interrupted scenarios (for details compare Table 1).

In this systematic review, we have found very low certainty evidence that teaching team competencies improves the performance of resuscitation teams. Almost all of the evidence is derived from simulation studies rather than real-life resuscitations, limiting the inferences that can be drawn. However, no negative effects of training with emphasis on team competencies were identified, and therefore we suggest that team competencies be included in all life support courses despite the low certainty of effects on patient outcomes. The specific team competencies being trained should likely be tailored to the type of resuscitation course, aiming to train contextualised skills (technical and non-technical). Also, to address the lack of knowledge, well designed studies ideally reflecting patient outcomes are necessary.^{33,34}

Only one RCT²⁷ reported higher patient survival in a descriptive way with such training. However, this study was not powered to evaluate survival, therefore any inference of that result has to be taken with caution. Interestingly, another review on teaching team competencies identified improved patient outcomes of providers who had attended advanced life support courses.⁸

Several included studies reported that team competencies training improved CPR skill performance,^{16,18,21,25,28,32} and some aspects of teamwork competencies, including communication,

Table 2 – Teaching team competencies within resuscitation training: a systematic review: Types of outcomes, overall findings, risk of bias assessments.

Types of Outcome	Training context	Number of studies	Neutral	In favour of training <u>with no</u> emphasis on teamwork competencies	In favour of training <u>with</u> emphasis on teamwork competencies	Risk of Bias of single studies
Survival	ALS ²⁷	1 ²⁷	—	—	1 ²⁷	Some concerns ²⁷
CPR skill performance beyond course completion	ALS ^{22,24} BLS ²¹ Not stated ¹⁶	4 ^{16,21,22,24}	2 ^{22,24}	—	2 ^{16,21}	Some concerns ^{16,21,22,24}
CPR quality beyond course completion	BLS ²¹	1 ²¹	—	—	1 ²¹	Some concerns ²¹
CPR skill performance at course completion: Time to key resuscitation behaviours	ALS ^{25,29,32} BLS ²¹ Paediatric ³² Neonatal ²⁸ Not stated ¹⁶	6 ^{16,21,25,28,29,32}	4 ^{16,21,29,32}	—	2 ^{25,28}	Serious ³² Some concerns ^{16,21,25,28,29}
CPR skill performance at course completion: CPR performance scores	ALS ^{22,24,27,29,32} Paediatric ³² Neonatal ^{28,31} Not stated ¹⁶	8 ^{16,22,24,27–29,31,32}	7 ^{16,22,24,27–29,31}	—	1 ³²	Serious ³² Some concerns ^{16,22,24,27–29,31}
CPR skill performance at course completion: rate of correct arm and shoulder positioning	BLS ²¹	1 ²¹	1 ²¹	—	—	Some concerns ²¹
CPR skill performance at course completion: adherence to ALS guidelines	ALS ¹⁸ BLS ¹⁸	1 ¹⁸	—	—	1 ¹⁸	High ¹⁸
CPR quality at course completion	ALS ^{17,18} ILS ²⁰ BLS ^{18,21}	4 ^{17,18,20,21}	3 ^{18,20,21}	—	1 ¹⁷	Some concerns ^{17,21} High ^{18,20}
Confidence at course completion	Not stated ¹⁶	1 ¹⁶	1 ¹⁶	—	—	Some concerns ¹⁶
Confidence beyond course completion	Not stated ¹⁶	1 ¹⁶	1 ¹⁶	—	—	Some concerns ¹⁶
Teamwork competencies at course completion: communication	ALS ^{17,26,29} BLS ²¹ ILS ²⁰ Paediatric ²⁶ Neonatal ³⁰	6 ^{17,20,21,26,29,30}	—	1 ²¹	5 ^{17,20,26,29,30}	High ^{20,30} Some concerns ^{17,21,26,29}
Teamwork competencies at course completion: decision-making and leadership behaviour	ALS ²⁷ ILS ²⁰ BLS ¹⁹ Neonatal ²³	4 ^{19,20,23,27}	1 ²³	—	3 ^{19,20,27}	Serious ²³ High ²⁰ Some concerns ^{19,27}
Teamwork competencies at course completion: teamwork	ALS ^{24,32} Paediatric ³² Neonatal ^{23,31} Not stated ¹⁶	5 ^{16,23,24,31,32}	3 ^{23,24,31}	—	2 ^{16,32}	Serious ^{23,32} Some concerns ^{16,24,31}
Teamwork competencies at course completion: Non-Technical Skills	ALS ²⁵ Neonatal ²⁸	2 ^{25,28}	—	—	2 ^{25,28}	Some concerns ^{25,28}
Teamwork competencies at course completion: workload management	Neonatal ^{30,31}	2 ^{30,31}	—	—	2 ^{30,31}	High ³⁰ Some concerns ³¹
Teamwork competencies beyond course completion	ALS ²⁴ BLS ²¹ Not stated ¹⁶	3 ^{16,21,24}	1 ²⁴	—	2 ^{16,21}	Some concerns ^{16,21,24}

ALS = Advanced Life Support, CPR = cardiopulmonary resuscitation, BLS = Basic Life Support, ILS = Immediate Life Support.

decision-making and leadership behaviour, teamwork, non-technical skills, and workload management.^{16,17,19–21,25–32} Two studies even reported better CPR skill performance beyond course completion.^{16,21} We did not find any report of harmful effects of team competence training in either context of training or course format.

Results about the overall concept of teamwork competencies varied. Some studies showed improvement with specific training of team competencies at course completion. Five studies^{17,20,26,29,30} reported improved communication with such training, three studies^{19,20,27} found improved decision-making and leadership skills. These results imply that specific training in communication skills might be especially beneficial to achieve improvements in teamwork during resuscitations. However, all these studies were in a simulated setting. We lack data about whether results from resuscitation training can be translated into better communication during real cardiac arrests.

Included studies covered a variety of different teaching interventions for teamwork competencies but due to the high heterogeneity we could not compare the effect of these different teaching methods. Thus, potential superiority in the effectiveness of training intervention methods remains to be determined.

Only two RCT^{16,21} showed improvement of teamwork competencies beyond course completion, which might be important to improve patient outcomes over time. Since limited data beyond course completion and no data for outcomes beyond one year after course completion is available, future studies are necessary to evaluate retention of teamwork competencies and the effect on patients' outcomes.

Resuscitation councils worldwide use teamwork competencies training in their resuscitation courses, therefore training in teamwork competencies seems widely accepted. However, we did not find any evidence on the cost-effectiveness of such teaching that supports this current teaching practice.

All but one included studies were performed in Europe and North America in high-resource countries. Only one study was performed in Brazil.³² We therefore cannot comment if the conclusion of this review would change if studies from low-income settings or different parts of the world were available.

Limitations, knowledge gaps, and future research

The limitation of this systematic review is that only one study which reported descriptively improved patient survival, is underpowered for this outcome (leading to imprecision). The effects of team competencies training on clinical resuscitation performance and patient outcomes remain unclear. Future adequately powered studies are necessary to close this knowledge gap.

The ideal educational intervention, duration, and mode of delivery for teamwork competencies teaching remains unclear. Because of the heterogeneity and a wide variety of educational interventions reported and of measures used, a comparison between the teaching approaches was not possible. Future studies should compare different teaching interventions for team competencies training. Despite studies showing improved communication, decision-making, and leadership behaviours, it remains unclear whether training of particular competencies is more important than others. It is also unclear whether there is a difference between the teaching context and the group of learners. We did not find any evidence for the cost-effectiveness of the team competencies training, or any evidence from low-resource settings. Future studies should focus on these two important aspects. This systematic review was registered on

PROSPERO, some changes were made after registration (which have been detailed in the methods section). PROSPERO allows changes in outcomes and measurements as some are not obvious a priori but can be found in the retrieved papers.

Conclusion

This systematic review assessed life support training with specific emphasis on team competencies compared to training without this emphasis. We identified very low and low certainty evidence, almost entirely derived from simulation studies. The studies and their findings were heterogenous but suggest that teaching team competencies can improve resuscitation skills performance and CPR quality, as well as improve team competencies, specifically leadership, communication, decision-making, and task management. Further research is required to understand optimal configuration of team competencies training interventions and to understand the effect on clinical outcomes and cost-effectiveness.

Funding

None.

Other disclosures

None.

Ethics committee review

Not applicable.

Disclaimers

None.

CRedit authorship contribution statement

Barbara Farquharson: Writing – review & editing, Writing – original draft, Visualization, Validation, Methodology, Data curation, Conceptualization. **Andrea Cortegiani:** Writing – review & editing, Methodology, Data curation, Conceptualization. **Kasper G. Lauridsen:** Writing – review & editing, Methodology, Data curation, Conceptualization. **Joyce Yeung:** Writing – review & editing, Methodology, Data curation. **Robert Greif:** Writing – review & editing, Writing – original draft, Visualization, Validation, Methodology, Data curation, Conceptualization. **Sabine Nabecker:** Writing – review & editing, Writing – original draft, Visualization, Validation, Methodology.

Declaration of competing interest

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests: BF, AC, KGL, JY, SN and RG are members of the ILCOR EIT Task Force (RG is chair). RG is ERC Director of Guidelines and

ILCOR; RG, KGL and JY are Editorial Board members of Resuscitation Plus.

Acknowledgements

The authors would like to thank Mary-Doug Wright, the information specialist at Apex Information, Vancouver, Canada, for her support in developing the search strategy. The following ILCOR EIT Task Force members are acknowledged as collaborators in this scoping review: Cristian Abelairas-Gomez, Natalie Anderson, Farhan Bhanji, Jan Breckwoldt, Adam Cheng, Aaron Donoghue, Kathryn Eastwood, Ming-Ju Hsieh, Ying-Chih Ko, Elina Koota, Yiqun Lin, Andrew Lockey, Tasuku Matsuyama, Kevin Nation, Alexander Olaussen, Taylor Sawyer, Sebastian Schnaubelt, and Chih-Wei Yang.

Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.resplu.2024.100687>.

Author details

on behalf of the Education Implementation Team Task Force of the International Liaison Committee on Resuscitation ILCOR¹ ^a*Faculty of Health Sciences & Sport, University of Stirling, Stirling, United Kingdom* ^b*Department of Precision Medicine in Medical Surgical and Critical Care (Me.Pre.C.C.), University of Palermo, Italy* ^c*Department of Anesthesia Intensive Care and Emergency, University Hospital Policlinico 'Paolo Giaccone', Palermo, Italy* ^d*Research Center for Emergency Medicine, Aarhus University Hospital, Denmark* ^e*Department of Anesthesiology and Intensive Care, Randers Regional Hospital, Denmark* ^f*Department of Anesthesiology and Critical Care Medicine, Children's Hospital of Philadelphia, USA* ^g*Warwick Clinical Trials Unit, Warwick Medical School, University of Warwick, Coventry, United Kingdom* ^h*Department of Surgical Science, University of Torino, Torino, Italy* ⁱ*University of Bern, Bern, Switzerland* ^j*Anesthesiology and Pain Management, Sinai Health System, University of Toronto, Toronto, Canada*

REFERENCES

- McLaney E, Morassaei S, Hughes L, Davies R, Campbell M, Di Prospero L. A framework for interprofessional team collaboration in a hospital setting: Advancing team competencies and behaviours. *Health Manage Forum* 2022;35:112–7.
- Gordon M, Baker P, Catchpole K, Darbyshire D, Schocken D. Devising a consensus definition and framework for non-technical skills in healthcare to support educational design: A modified Delphi study. *Med Teach* 2015;37:572–7.
- Cheng A, Magid DJ, Auerbach M, et al. Donoghue A: Part 6: Resuscitation education science: 2020 American heart association guidelines for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation (New York, N.Y.)* 2020;142: S551–79.
- Greif R, Lockey A, Breckwoldt J, et al. European resuscitation council guidelines 2021: Education for resuscitation. *Resuscitation* 2021;161:388–407.
- Greif R, Bhanji F, Bigham BL, et al. Education, implementation, and teams: 2020 International consensus on cardiopulmonary resuscitation and emergency cardiovascular care science with treatment recommendations. *Resuscitation* 2020;156:A188–239.
- Greif R, Bhanji F, Bigham BL, et al. Education, implementation, and teams: 2020 International consensus on cardiopulmonary resuscitation and emergency cardiovascular care science with treatment recommendations. *Circulation* 2020;142:S222–83.
- Dewolf P, Clarebout G, Wauters L, Van Kerkhoven J, Verelst S. The effect of teaching nontechnical skills in advanced life support: a systematic review. *AEM Educ Train* 2021;5:e10522.
- Kuzovlev A, Monsieurs KG, Gilfoyle E, Finn J, Greif R, Education I. Teams task force of the international liaison committee on R: The effect of team and leadership training of advanced life support providers on patient outcomes: A systematic review. *Resuscitation* 2021;160:126–39.
- Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71.
- Flin R, O'Connor, P. Safety at the Sharp End: A Guide to Non-Technical Skills, 1st ed., CRC Press. 2008. doi: 10.1201/9781315607467.
- Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan-a web and mobile app for systematic reviews. *Syst Rev* 2016;5:210.
- Sterne JAC, Savovic J, Page MJ, et al. RoB 2: a revised tool for assessing risk of bias in randomised trials. *BMJ* 2019;366:l4898.
- Sterne JA, Hernan MA, Reeves BC, et al. ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. *BMJ* 2016;355:i4919.
- Iorio A, Spencer FA, Falavigna M, et al. Use of GRADE for assessment of evidence about prognosis: rating confidence in estimates of event rates in broad categories of patients. *BMJ* 2015;350:h870.
- Campbell M, McKenzie JE, Sowden A, et al. Synthesis without meta-analysis (SWiM) in systematic reviews: reporting guideline. *BMJ* 2020;368:l6890.
- Coppens I, Verhaeghe S, Van Hecke A, Beeckman D. The effectiveness of crisis resource management and team debriefing in resuscitation education of nursing students: A randomised controlled trial. *J Clin Nurs* 2018;27:77–85.
- Fernandez Castela E, Russo SG, Cremer S, et al. Positive impact of crisis resource management training on no-flow time and team member verbalisations during simulated cardiopulmonary resuscitation: a randomised controlled trial. *Resuscitation* 2011;82:1338–43.
- Fernandez Castela E, Boos M, Ringer C, Eich C, Russo SG. Effect of CRM team leader training on team performance and leadership behavior in simulated cardiac arrest scenarios: a prospective, randomized, controlled study. *BMC Med Educ* 2015;15:116.
- Haffner L, Mahling M, Muench A, et al. Improved recognition of ineffective chest compressions after a brief Crew Resource Management (CRM) training: a prospective, randomised simulation study. *BMC Emerg Med* 2017;17:7.
- Hochstrasser SR, Amacher SA, Tschan F, et al. Gender-focused training improves leadership of female medical students: A randomised trial. *Med Educ* 2022;56:321–30.
- Hunziker S, Buhlmann C, Tschan F, et al. Brief leadership instructions improve cardiopulmonary resuscitation in a high-fidelity simulation: a randomized controlled trial. *Crit Care Med* 2010;38:1086–91.
- Peltonen V, Peltonen LM, Rantanen M, et al. Randomized controlled trial comparing pit crew resuscitation model against standard advanced life support training. *J Am Coll Emerg Physicians Open* 2022;3:e12721.
- Rovamo L, Nurmi E, Mattila MM, Suominen P, Silvennoinen M. Effect of a simulation-based workshop on multidisciplinary teamwork of newborn emergencies: an intervention study. *BMC Res Notes* 2015;8:671.

24. Truchot J, Michelet D, Philippon AL, Drummond D, Freund Y, Plaisance P. Effect of a specific training intervention with task interruptions on the quality of simulated advance life support: A randomized multi centered controlled simulation study. *Australas Emerg Care* 2023;26:153–7.
25. Blackwood J, Duff JP, Nettel-Aguirre A, Djogovic D, Joynt C. Does teaching crisis resource management skills improve resuscitation performance in pediatric residents?*. *Pediatr Crit Care Med* 2014;15: e168–74.
26. Fagan MJ, Connelly CD, Williams BS, Fisher ES. Integrating team training in the pediatric life support program: an effective and efficient approach? *J Nurs Adm* 2018;48:279–84.
27. Fernandez R, Rosenman ED, Olenick J, et al. Simulation-based team leadership training improves team leadership during actual trauma resuscitations: a randomized controlled trial. *Crit Care Med* 2020;48:73–82.
28. Litke-Wager C, Delaney H, Mu T, Sawyer T. Impact of task-oriented role assignment on neonatal resuscitation performance: a simulation-based randomized controlled trial. *Am J Perinatol* 2021;38:914–21.
29. Scicchitano E, Stark P, Koetter P, Michalak N, Zurca AD. Blindfolding improves communication in inexperienced residents undergoing ACLS training. *J Grad Med Educ* 2021;13:123–7.
30. Thomas EJ, Taggart B, Crandell S, et al. Teaching teamwork during the Neonatal Resuscitation Program: a randomized trial. *J Perinatol* 2007;27:409–14.
31. Thomas EJ, Williams AL, Reichman EF, Lasky RE, Crandell S, Taggart WR. Team training in the neonatal resuscitation program for interns: teamwork and quality of resuscitations. *Pediatrics* 2010;125:539–46.
32. Goncalves BAR, de Melo M, Ferri Liu PM, Valente B, Ribeiro VP, Vilaca ESPH. Teamwork in pediatric resuscitation: training medical students on high-fidelity simulation. *Adv Med Educ Pract* 2022;13:697–708.
33. Lauridsen KG, Krogh K, Müller SD, et al. Barriers and facilitators for in-hospital resuscitation: A prospective clinical study. *Resuscitation* 2021;164:70–8.
34. Lauridsen KG, Løfgren B, Brogaard L, Paltved C, Hvidman L, Krogh K. Cardiopulmonary resuscitation training for healthcare professionals: a scoping review. *Simul Healthc* 2022;17:170–82.