

ERCIM NEWS

European Research Consortium
for Informatics and Mathematics
www.ercim.eu


Special theme: Computational Biology

Also in this issue:

Keynote:
Computational Biology –
On the Verge of Widespread
Impact
by Dirk Evers

European Scene:
Scientometry Leading us
Astray

R&D and Technology Transfer:
Continuous Evolutionary
Automated Testing for the
Future Internet



ERCIM News is the magazine of ERCIM. Published quarterly, it reports on joint actions of the ERCIM partners, and aims to reflect the contribution made by ERCIM to the European Community in Information Technology and Applied Mathematics. Through short articles and news items, it provides a forum for the exchange of information between the institutes and also with the wider scientific community. This issue has a circulation of 9,000 copies. The printed version of ERCIM News has a production cost of €8 per copy. Subscription is currently available free of charge.

ERCIM News is published by ERCIM EEIG
BP 93, F-06902 Sophia Antipolis Cedex, France
Tel: +33 4 9238 5010, E-mail: contact@ercim.eu
Director: Jérôme Chailloux
ISSN 0926-4981

Editorial Board:

Central editor:

Peter Kunz, ERCIM office (peter.kunz@ercim.eu)

Local Editors:

Austria: Erwin Schoitsch, (erwin.schoitsch@ait.ac.at)

Belgium: Benoît Michel (benoit.michel@uclouvain.be)

Denmark: Jiri Srba (srba@cs.aau.dk)

Czech Republic: Michal Haindl (haindl@utia.cas.cz)

France: Bernard Hidoine (bernard.hidoine@inria.fr)

Germany: Michael Krapp (michael.krapp@scai.fraunhofer.de)

Greece: Eleni Orphanoudakis (eleni@ics.forth.gr)

Hungary: Erzsébet Csuhaj-Varjú (csuhaj@sztaki.hu)

Ireland: Ray Walsh (ray@computing.dcu.ie)

Italy: Carol Peters (carol.peters@isti.cnr.it)

Luxembourg: Patrik Hitzelberger (hitelbe@lippmann.lu)

Norway: Truls Gjestland (truls.gjestland@ime.ntnu.no)

Poland: Hung Son Nguyen (son@mimuw.edu.pl)

Portugal: Paulo Ferreira (paulo.ferreira@inesc-id.pt)

Spain: Christophe Joubert (joubert@dsic.upv.es)

Sweden: Kersti Hedman (kersti@sics.se)

Switzerland: Harry Rudin (hrudin@smile.ch)

The Netherlands: Annette Kik (Annette.Kik@cwil.nl)

United Kingdom: Martin Prime (Martin.Prime@stfc.ac.uk)

W3C: Marie-Claire Forgeue (mcf@w3.org)

Contributions

Contributions must be submitted to the local editor of your country

Copyright Notice

All authors, as identified in each article, retain copyright of their work

Advertising

For current advertising rates and conditions, see

<http://ercim-news.ercim.eu/> or contact peter.kunz@ercim.eu

ERCIM News online edition

The online edition is published at <http://ercim-news.ercim.eu/>

Subscription

Subscribe to ERCIM News by sending email to

en-subscriptions@ercim.eu or by filling out the form at the

ERCIM News website: <http://ercim-news.ercim.eu/>

Next issue

October 2010, Special theme: "Cloud Computing"

Cover image: Three-dimensional homology model of the human Kinesin-like protein KIF3A (See the article "Protein Homology Modelling - Providing Three-dimensional Models for Proteins where Experimental Data is Missing" by Jürgen Haas and Torsten Schwede on page 20)



cuits. The dynamics of a regulatory genetic network can be simulated with very simple nonlinear circuits based on MOSFET transistors. Our circuits allow a one-to-one correspondence between the structure of the genetic and electronic networks, and their analog character extends this correspondence to the full dynamical behavior. An obvious benefit of this approach is that the electronic circuits are easier to implement experimentally than genetic circuits. We have applied this technique successfully in studies of the dynamics and synchronisation of

populations of genetic networks, such as the repressilator and the toggle-switch. Synchronisation of a population of such units has been thoroughly studied, with the aim of comparing the role of global coupling with that of global forcing on the population. We have also analysed a method for the prediction of the synchronisation of a network of electronic repressilators, based on the Kuramoto model. Our research indicates that nonlinear circuits of this type can be helpful in the design and understanding of synthetic genetic networks.

Link:

<http://www.fisica.escet.es>

Please contact:

Alexandre Wagemakers
Universidad Rey Juan Carlos, Madrid,
Spain

Tel: +34 91 4888242

E-mail:

alexandre.wagemakers@urjc.es

Formal Synthetic Immunology

by Marco Aldinucci, Andrea Bracciali and Pietro Lio'

The human immune system fights pathogens using an articulated set of strategies whose function is to maintain in health the organism. A large effort to formally model such a complex system using a computational approach is currently underway, with the goal of developing a discipline for engineering "synthetic" immune responses. This requires the integration of a range of analysis techniques developed for formally reasoning about the behaviour of complex dynamical systems. Furthermore, a novel class of software tools has to be developed, capable of efficiently analysing these systems on widely accessible computing platforms, such as commodity multi-core architectures.

Computational approaches to immunology represent an important area of systems biology where both multi-scale and time and spatial dynamics play important roles. In order to explore how different modelling and computational techniques can be better integrated to support in silico experiments, a collaboration amongst researchers of Italian and British institutions has been established. In the long term we anticipate that this will lead to the engineering of synthetic immune responses.

In silico experiments involve the reproduction of the dynamics occurring between the immune system and pathogens. These models can be used to simulate the mechanisms and the emerging behaviour of the system, to test new hypotheses and to predict their effects, hence, they will need to be able to measure, analyse and formally reason about the system behaviour. By means of such a virtual lab one can try to design novel "synthetic" responses and drug treatments that may then be implemented in the organic world.

We are exploring the feasibility of combining two research trends, which will certainly be further developed in the near

future. The first trend draws from formal methods, ie a set of description techniques that allows qualitative and quantitative aspects of system behaviour to be described and formally analysed. Generally, models consist of populations of agents/entities, or aggregate abstractions of them, eg viruses or lymphocytes. These play a part in the economy of the whole system by means of the possible behaviour they exhibit. The overall behaviour of the system emerges from the interaction between agents and can be observed by means of simulations that account for either probabilistic or averaged evolutions from given initial conditions. Also, the system can be observed in its transient or equilibrium dynamics, and its properties, when precisely expressed in a formal language, can be verified (model checked) against the system behaviour. In particular the formal analysis can be tightly coupled with stochastic simulations in order to improve the information obtained from the simulation results. These approaches, particularly the stochastic ones under certain hypotheses, are extremely computationally expensive.

The second trend aims to enhance the precision and effectiveness of these vir-

tual labs. A good opportunity to achieve this is provided by the recent design shift towards multi-core architectures that make high computational power diffusely available. To exploit this power, however, software tools need to be redesigned to match the new architectures, which may suffer from inefficiencies of the shared memory subsystem due to poor memory access hot-spots and caching behaviour. Within the FastFlow programming framework [1], which provides a cache-aware, lock-free approach to multi-threading, we have developed StochKit-FF (see application page at [1]), an efficient parallel version of StochKit, a reference stochastic simulation tool-kit.

In our reference scenario we use aspects of the HIV dynamics within a patient, as a model infectious disease. Many different viral strains contribute to infection progression; they use different cell receptors (CCR5 and CXCR4) and consequently several anti-HIV therapies target these receptors. Progression of the disease (AIDS) is dependent on interactions between viruses and cells, the high mutation rate of viruses, the immune response of individuals and the interaction between drugs and infection




Figure 1: A single stochastic simulation over the [1-1000] day interval. Levels of cells from the immune system during HIV infection are shown on the y-axis. Importantly, the decay of T below about 200 represents the passage to AIDS. This emerges at about day 500.




Figure 2: The same scenario as that represented in Figure 1 with the addition of a treatment period starting at about day 200. The effect of the treatment can be “visually” appreciated in terms of an higher amount of T (and Z5) during the treatment period, with respect to the same time interval in Figure 1.

dynamics. These phenomena are inherently stochastic, subject both to intrinsic and extrinsic noises. Some simulation results are shown in Figure 1 and Figure 2.

StockKit-FF allows us to run multiple concurrent stochastic simulations efficiently. Results based on a large number of simulations are much more informative than a few probabilistic outcomes. Since the cost of saving comprehensive information about each simulation can become prohibitive, StockKit-FF allows the on-line parallel reduction of solution trajectories from different simulation runs by way of user-defined statistical estimators, such as average and variance. The relative speed of

StockKit-FF with respect original StockKit for the HIV model is reported in Figure 3.

Furthermore, we are quantitatively assessing different scenarios regarding the immune system response. Probabilistic model checking, for instance, can provide a greater understanding of infection models, by shifting the attention from an informative, but empirical, analysis of the graphs produced by simulations towards more precise quantitative interpretations. For instance, this technique can allow us to determine the probability of immune system failure with or without a support therapy over a given time interval. Beyond the visual evi-

dence, it is possible to determine that such a probability for the cases in Figure 1 and Figure 2 is 0.377 vs. 0.855 (results obtained by the PRISM model checker [2], see [3] for details).

Currently, we are investigating more structured ways of collecting information from multiple runs and the possibility of exploiting such multiple runs as approximated model knowledge for model checking purposes. Efficient simulations will make possible an effective investigation of relevant characteristics of the virus attack and the immune defence, while the formal analysis will provide the key tool to identify best anti-viral drug therapy.

This project is a British-Italian collaboration (Universities of Cambridge, Torino and Stirling, ISTI-CNR), partially supported by HPC-Europe, EMBO and the CNR project RSTL-XXL.

Links:

- [1] <http://mc-fastflow.sourceforge.net>
- [2] <http://www.prismmodelchecker.org/>
- [3] <http://www.biomedcentral.com/1471-2105/11/S1/S67>

Please contact:

Andrea Bracciali
ISTI-CNR, Italy and
Computing Science and Mathematics,
University of Stirling, UK
E-mail: braccia@isti.cnr.it,
braccia@cs.stir.ac.uk

Pietro Lio'
Computer Laboratory
University of Cambridge
E-mail: pl219@cam.ac.uk




Figure 3: Speedup of StockKit-FF against original StockKit for 32, 64, and 128 runs of the HIV stochastic simulation. StockKit-FF runs are concurrently executed; their outputs are reduced by way of the average and variance functions. StockKit-FF exhibits a super-linear speedup, ie it is always more than n -fold faster than StockKit when running on a n -core platform.

ERCIM – the European Research Consortium for Informatics and Mathematics is an organisation dedicated to the advancement of European research and development, in information technology and applied mathematics. Its national member institutions aim to foster collaborative work within the European research community and to increase co-operation with European industry.



ERCIM is the European Host of the World Wide Web Consortium.



Austrian Association for Research in IT
c/o Österreichische Computer Gesellschaft
Wollzeile 1-3, A-1010 Wien, Austria
<http://www.aarit.at/>



Consiglio Nazionale delle Ricerche, ISTI-CNR
Area della Ricerca CNR di Pisa,
Via G. Moruzzi 1, 56124 Pisa, Italy
<http://www.isti.cnr.it/>



Czech Research Consortium
for Informatics and Mathematics
FI MU, Botanická 68a, CZ-602 00 Brno, Czech Republic
<http://www.utia.cas.cz/CRCIM/home.html>



Centrum Wiskunde & Informatica

Centrum Wiskunde & Informatica
Science Park 123,
NL-1098 XG Amsterdam, The Netherlands
<http://www.cwi.nl/>



Danish Research Association for Informatics and Mathematics
c/o Aalborg University,
Selma Lagerlöfs Vej 300, 9220 Aalborg East, Denmark
<http://www.danaim.dk/>



Fonds National de la
Recherche Luxembourg

Fonds National de la Recherche
6, rue Antoine de Saint-Exupéry, B.P. 1777
L-1017 Luxembourg-Kirchberg
<http://www.fnr.lu/>



Fonds Wetenschappelijk Onderzoek



FWO
Egmontstraat 5
B-1000 Brussels, Belgium
<http://www.fwo.be/>

FNRS
rue d'Egmont 5
B-1000 Brussels, Belgium
<http://www.fnrs.be/>



FORTH

Foundation for Research and Technology – Hellas
Institute of Computer Science
P.O. Box 1385, GR-71110 Heraklion, Crete, Greece
<http://www.ics.forth.gr/>



Fraunhofer ICT Group
Friedrichstr. 60
10117 Berlin, Germany
<http://www.iuk.fraunhofer.de/>



INRIA

Institut National de Recherche en Informatique
et en Automatique
B.P. 105, F-78153 Le Chesnay, France
<http://www.inria.fr/>



Irish Universities Association
Cumann Ollscoilanna Éireann

Irish Universities Association
c/o School of Computing, Dublin City University
Glasnevin, Dublin 9, Ireland
<http://ercim.computing.dcu.ie/>



Norwegian University of Science and Technology
Faculty of Information Technology, Mathematics and
Electrical Engineering, N 7491 Trondheim, Norway
<http://www.ntnu.no/>



PORTUGUESE
ERCIM GROUPING

Portuguese ERCIM Grouping
c/o INESC Porto, Campus da FEUP,
Rua Dr. Roberto Frias, n° 378,
4200-465 Porto, Portugal



Universitas Varsoviensis
PLERCIM
Universitas Wroclaviensis

Polish Research Consortium for Informatics and Mathematics
Wydział Matematyki, Informatyki i Mechaniki,
Uniwersytetu Warszawskiego, ul. Banacha 2, 02-097 Warszawa, Poland
<http://www.plercim.pl/>



Science & Technology
Facilities Council

Science and Technology Facilities Council,
Rutherford Appleton Laboratory
Harwell Science and Innovation Campus
Chilton, Didcot, Oxfordshire OX11 0QX, United Kingdom
<http://www.scitech.ac.uk/>



Spanish Research Consortium
for Informatics and Mathematics

Spanish Research Consortium for Informatics and Mathematics,
D3301, Facultad de Informática, Universidad Politécnica de Madrid,
Campus de Montegancedo s/n,
28660 Boadilla del Monte, Madrid, Spain,
<http://www.sparcim.es/>



Swedish
Institute of
Computer
Science



Swedish Institute of Computer Science
Box 1263,
SE-164 29 Kista, Sweden
<http://www.sics.se/>



Swiss Association for Research in Information Technology
c/o Professor Daniel Thalmann, EPFL-VRlab,
CH-1015 Lausanne, Switzerland
<http://www.sarit.ch/>



Magyar Tudományos Akadémia
Számítástechnikai és Automatizálási Kutató Intézet
P.O. Box 63, H-1518 Budapest, Hungary
<http://www.sztaki.hu/>



Technical Research Centre of Finland
PO Box 1000
FIN-02044 VTT, Finland
<http://www.vtt.fi/>

Order Form

If you wish to subscribe to ERCIM News
free of charge

or if you know of a colleague who would like to
receive regular copies of
ERCIM News, please fill in this form and we
will add you/them to the mailing list.

Send, fax or email this form to:

ERCIM NEWS
2004 route des Lucioles
BP 93
F-06902 Sophia Antipolis Cedex
Fax: +33 4 9238 5011
E-mail: office@ercim.eu

Data from this form will be held on a computer database.

By giving your email address, you allow ERCIM to send you email

I wish to subscribe to the

☐ printed edition

☐ online edition (email required)

Name:

Organisation/Company:

Address:

Postal Code:

City:

Country:

E-mail: